



Enmane


FIBER PATCH CORD





EM-AZU1402-02

Available for Single Mode & Multi Mode fiber
Single Mode:IL $\leq 0.3\text{dB}$ / Multi Mode:IL $\leq 0.2\text{dB}$
With PVC or LSZH cable
Vertical tensile strength $\geq 70\text{N}$
Length can be customized




EM-AZU1403-02

Available for Single Mode & Multi Mode fiber
Single Mode:IL $\leq 0.3\text{dB}$ / Multi Mode:IL $\leq 0.2\text{dB}$
With PVC or LSZH cable
Vertical tensile strength $\geq 70\text{N}$
Length can be customized




EM-AZU1404-02

Available for Single Mode & Multi Mode fiber
Single Mode:IL $\leq 0.3\text{dB}$ / Multi Mode:IL $\leq 0.2\text{dB}$
With PVC or LSZH cable
Vertical tensile strength $\geq 70\text{N}$
Length can be customized




EM-AZU1405-02

Available for Single Mode & Multi Mode fiber
Single Mode:IL $\leq 0.3\text{dB}$ / Multi Mode:IL $\leq 0.2\text{dB}$
With PVC or LSZH cable
Vertical tensile strength $\geq 70\text{N}$
Length can be customized




EM-AZU1406-02

Available for Single Mode & Multi Mode fiber
Single Mode:IL $\leq 0.3\text{dB}$ / Multi Mode:IL $\leq 0.2\text{dB}$
With PVC or LSZH cable
Vertical tensile strength $\geq 70\text{N}$
Length can be customized



EM-AZU1407-02

Available for Single Mode & Multi Mode fiber
Single Mode:IL $\leq 0.3\text{dB}$ / Multi Mode:IL $\leq 0.2\text{dB}$
With PVC or LSZH cable
Vertical tensile strength $\geq 70\text{N}$
Length can be customized




EM-AZU1408-02

Available for Single Mode & Multi Mode fiber
Single Mode:IL $\leq 0.3\text{dB}$ / Multi Mode:IL $\leq 0.2\text{dB}$
With PVC or LSZH cable
Vertical tensile strength $\geq 70\text{N}$
Length can be customized




EM-AZU1409-02

Available for Single Mode & Multi Mode fiber
Single Mode:IL $\leq 0.3\text{dB}$ / Multi Mode:IL $\leq 0.2\text{dB}$
With PVC or LSZH cable
Vertical tensile strength $\geq 70\text{N}$
Length can be customized




EM-AZU1501-02

Available for Single Mode & Multi Mode fiber
Single Mode:IL $\leq 0.3\text{dB}$ / Multi Mode:IL $\leq 0.2\text{dB}$
With PVC or LSZH cable
Vertical tensile strength $\geq 70\text{N}$
Length can be customized



EM-AZU1502-02

Available for Single Mode & Multi Mode fiber
Single Mode:IL $\leq 0.3\text{dB}$ / Multi Mode:IL $\leq 0.2\text{dB}$
With PVC or LSZH cable
Vertical tensile strength $\geq 70\text{N}$
Length can be customized



EM-AZU1503-02

Metal Dust Cap, More Secure to anti-Laser
IL $\leq 0.3\text{dB}$
With PVC or LSZH cable
Vertical tensile strength $\geq 70\text{N}$
Length can be customized



EM-AZU1504-02

Available for Single Mode & Multi Mode fiber
Single Mode:IL $\leq 0.3\text{dB}$ / Multi Mode:IL $\leq 0.2\text{dB}$
With PVC or LSZH cable
Vertical tensile strength $\geq 70\text{N}$
Length can be customized



EM-AZU1505-01

Available for Single Mode & Multi Mode fiber
Single Mode:IL $\leq 0.3\text{dB}$ / Multi Mode:IL $\leq 0.2\text{dB}$
With PVC or LSZH cable
Vertical tensile strength $\geq 70\text{N}$
Length can be customized




EM-AZU1506-01

Available for Single Mode & Multi Mode fiber
Single Mode:IL $\leq 0.3\text{dB}$ / Multi Mode:IL $\leq 0.2\text{dB}$
With PVC or LSZH cable
Vertical tensile strength $\geq 70\text{N}$
Length can be customized




EM-AZU1507-01

Available for Single Mode & Multi Mode fiber
Single Mode:IL $\leq 0.3\text{dB}$ / Multi Mode:IL $\leq 0.2\text{dB}$
With PVC or LSZH cable
Vertical tensile strength $\geq 70\text{N}$
Length can be customized



EM-AZU1508-01

Available for Single Mode & Multi Mode fiber
Single Mode:IL $\leq 0.3\text{dB}$ / Multi Mode:IL $\leq 0.2\text{dB}$
With PVC or LSZH cable
Vertical tensile strength $\geq 70\text{N}$
Length can be customized



EM-AZU1509-01

Available for Single Mode & Multi Mode fiber
Single Mode:IL $\leq 0.3\text{dB}$ / Multi Mode:IL $\leq 0.2\text{dB}$
With PVC or LSZH cable
Vertical tensile strength $\geq 70\text{N}$
Length can be customized



EM-AZU1601-01

Available for Single Mode & Multi Mode fiber
Single Mode:IL $\leq 0.3\text{dB}$ / Multi Mode:IL $\leq 0.2\text{dB}$
With PVC or LSZH cable
Vertical tensile strength $\geq 70\text{N}$
Length can be customized