

Enmane

FIBER PROTECTION & MANAGEMENT ACCESSORIES



Fiber Protection & Management Accessories




EM-HZU3601-01

High strength ABS material
30X35mm size
Open-end design for quick cable management
Customizable color



EM-2ZU3602-01

2.0mm panel use
50X18mm size
Arc design avoids cable broken
Easy to assemble



EM-AZU3603-01

ABS material
Copper/Fiber transfer use
Customizable color



EM-OZU3604-01

One divided into four Φ 60mm, 35mm height column
Height 35mm roundness
Stackable use
Anti-cable escaping design
Fixed with screw



EM-OZU3605-01

One divided into two Φ 60, 16mm height column
Height 16mm roundness
Stackable use
Anti-cable escaping design
Fixed with screw



EM-IZU3606-01

Independent Φ 100mm, height 10mm claw
Height 10mm five claws roundness
Stackable use
Anti-cable escaping design
Fixed with screw




EM-DZU3607-12

Double layer design with 12 fibers
Independent & removable
Anti ejecting design
Easy to assemble



EM-DZU3608-12

Double layer design with 12 fibers
Independent & removable
Anti ejecting design
Easy to assemble



EM-DZU3609-24

Double layer design with 24 fibers
Independent & removable
Anti ejecting design
Easy to assemble



EM-1ZU3610-01

1.5-2.0 panel use
Touch & press design for easy open
Built-in spring design
Easy to assemble



EM-1ZU3611-01

1.0-1.2 panel use
Touch & press design for easy open
Built-in spring design
Easy to assemble



EM-MZU3612-01

MPO Adaptor dust cap

Fiber Protection & Management Accessories



EM-8ZU3701-01

Single layer maximum 24 cores
Height of the layers is 38.6mm
Stackable use
Swivel buckle design helps to open the upper layer
Transparent dustproof upper cover plate



EM-2ZU3702-01

Standard 12 port keystone module
Copper/fiber transfer use
Removable upper cover
Customizable color




EM-2ZU3703-01

Standard 24 port keystone module
Copper/fiber transfer use
Removable upper cover
Customizable color



EM-SZU3704-01

SC/DLC universal square hole plug



EM-MZU3705-01

MPO square hole plug



EM-DZU3706-01

DSC/4LC universal square hole plug



EM-MZU3707-01

M13.5 cable inlet diameter
Tensile strength $\geq 100N$



EM-MZU3708-01

M21 cable inlet diameter
Tensile strength $\geq 100N$



EM-FZU3709-01

For 1.0-1.5mm thickness panel use
Press to lock pull to unlock
Easy to assemble



EM-FZU3710-01

For 1.0-1.5mm thickness panel use
Press to lock pull to unlock
Easy to assemble